

平成20年度降雨成分調査結果表

項目	時刻	No.	pH	導電率 μS/cm	NH <sub>4</sub> <sup>+</sup> μg/m<	NO <sub>3</sub> <sup>-</sup> μg/m<	SO <sub>4</sub> <sup>2-</sup> μg/m<	Cl <sup>-</sup> μg/m<	Na <sup>+</sup> μg/m<	K <sup>+</sup> μg/m<	Ca <sup>2+</sup> μg/m<	H <sup>+</sup> μg/m<	Mg <sup>2+</sup> μg/m<
H2O. 1.17~18	16.50~ 8.30	1	4.3	43.0	0.79	1.90	4.8	4.00	2.30	0.59	2.20	0.05	0.11
		2	4.2	41.0	0.59	1.60	3.4	1.90	1.00	0.24	1.60	< 0.06	0.08
		3	4.4	25.0	0.38	0.80	1.9	0.67	0.34	0.13	0.88	0.03	0.04
		4	4.5	17.0	0.28	0.44	1.5	0.37	0.20	0.07	0.75	0.03	0.02
		5	4.8	10.0	0.21	0.25	0.8	0.21	0.11	0.03	0.46	0.01	< 0.02
		6	4.5	30.0	0.30	0.61	2.2	4.20	2.30	0.08	< 1.00	< 0.02	0.11
平均☆			4.5	27.7	0.43	0.93	2.43	1.89	1.04	0.19	1.15	0.04	0.06
平均☆		1											
		2											
		3											
		4											
		5											
		6											
平均☆													
平均☆		1											
		2											
		3											
		4											
		5											
		6											
平均☆													

☆平均値は、1～5番目の測定データのみで算出